



National
Library
of Medicine



My NCBI
[Sign In] [Register]

All Databases

PubMed

Nucleotide

Protein

Genome

Structure

OMIM

PMC

Journals

Books

Search **PubMed**

for

Limits Preview/Index History Clipboard Details

Display **Abstract** Show 20 Sort by Send to

All: 1 Review: 0

1: Ann N Y Acad Sci. 1994 Nov 17;738:243-9.

Related Articles, Links

In vitro and in vivo activity of a novel series of radical trapping agents in model systems of CNS oxidative damage.

Thomas CE, Carney JM, Bernotas RC, Hay DA, Carr AA.

Marion Merrell Dow Research Institute, Cincinnati, Ohio 45215-6300.

Many laboratory and clinical studies suggest that oxygen radical formation and resultant cell damage contribute to CNS injury following stroke and neurotrauma. Accordingly, antioxidants represent a viable therapeutic approach for management of CNS oxidative damage. Recently, several investigators have reported that the spin trap PBN protects against stroke-induced damage and reduces aging-associated neurological deficits. We have prepared and tested a cyclic analog of PBN, MDL 101,002, in a number of in vitro and in vivo assays designed to assess its neuroprotective properties. MDL 101,002 was found to be an effective OH trap, to inhibit lipid peroxidation, and to decrease infarct size in a gerbil model of stroke. These results further indicate that oxidative damage arising from stroke contributes to infarct formation, and that spin traps are effective in ameliorating ischemia and reperfusion-induced CNS injury.

PMID: 7832433 [PubMed - indexed for MEDLINE]

Display **Abstract** Show 20 Sort by Send to

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Aug 16 2005 14:03:09